

Crystal Data: Hexagonal. *Point Group:* 6. As anhedral grains, rarely skeletal or lath-like crystals to 100 μm in polycrystalline aggregates. *Twinning:* Probably polysynthetic on (100) indicated by X-ray structure analysis.

Physical Properties: *Cleavage:* None. *Tenacity:* n.d. *Fracture:* n.d. *Hardness* = < 5.5
D(meas.) = n.d. D(calc.) = 2.597

Optical Properties: Transparent. *Color:* White; colorless to pale yellowish in transmitted light.
Streak: White. *Luster:* Vitreous to greasy.
Optical Class: Uniaxial (-). $\omega = 1.538(2)$ $\varepsilon = 1.535(2)$

Cell Data: *Space Group:* $P6_3$. $a = 9.982(1)$ $c = 8.364(2)$ $Z = 1$

X-ray Powder Pattern: Calculated pattern.

3.006 (100), 3.840 (92.9), 3.267 (71), 4.182 (65.7), 2.343 (53.6), 2.882 (41.3), 2.305 (31.3)

Chemistry:	(1)	(2)
CaO	3.16	4.96
K ₂ O	0.69	
Na ₂ O	16.89	16.45
Al ₂ O ₃	35.52	36.07
Fe ₂ O ₃	0.13	
SiO ₂	43.63	42.52
MgO	0.02	
MnO	0.04	
NiO	0.01	
TiO ₂	0.04	
Total	100.12	100.00

(1) Liset, Selje, Vestlandet, Norway; average of 10 electron microprobe analyses supplemented by Raman spectroscopy; corresponds to $([\text{Ca}_{0.636}\square_{0.636}]\square_{0.414}\text{K}_{0.165}\text{Na}_{0.149})_{\Sigma=2.000}\text{Na}_{6.000}(\text{Al}_{7.863}\text{Fe}^{3+}_{0.019})_{\Sigma=7.882}\text{Si}_{8.192}\text{O}_{32}$. (2) $(\text{Ca}\square)_2\text{Na}_6\text{Al}_8\text{Si}_8\text{O}_{32}$.

Occurrence: A rock-forming mineral in eclogite, now retrograde-altered to amphibolite facies.

Association: Lisetite, albitic plagioclase, taramite.

Distribution: From the Liset eclogite pod, Liset, Selje, Western Gneiss Region (WGR), Vestlandet, Norway.

Name: Honors the contributions to mineralogy and petrology by David Christopher Smith (b. 1946), Emeritus Professor, Natural History Museum, Paris, France.

Type Material: Mineral Collection, Natural History Museum, Paris, France (MNHN215-001).

References: (1) Kechid, S.-A., G.C. Parodi, S. Pont, and R. Oberti (2017) Davidsmithite, $(\text{Ca}, \square)_2\text{Na}_6\text{Al}_8\text{Si}_8\text{O}_{32}$: a new, Ca-bearing nepheline-group mineral from the Western Gneiss Region, Norway. *Eur. J. Mineral.*, 29(6), 1005-1013. (2) Rossi, G., R. Oberti, and D.C. Smith (1989) The crystal structure of a K-poor Ca-rich silicate with the nepheline framework and crystal-chemical relationships in the compositional space $(\text{K}, \text{Na}, \text{Ca}, \square)_8(\text{Al}, \text{Si})_{16}\text{O}_{32}$. *Eur. J. Mineral.*, 1(1), 59-70. (3) (2018) *Amer. Mineral.*, 103, 2039 (abs. refs. 1 & 2).