


Jamesite

©2001-2005 Mineral Data Publishing, version 1

Crystal Data: Triclinic. *Point Group:* $\bar{1}$. As crystals, tabular on {010} and elongated along [100], to 0.5 mm; in spherical radial aggregates.**Physical Properties:** Hardness = ~ 3 D(meas.) = n.d. D(calc.) = 5.084**Optical Properties:** Transparent. *Color:* Red-brown. *Streak:* Pale brown.*Luster:* Subadamantine.*Optical Class:* Biaxial (-). *Pleochroism:* Strong; X = Y = pale brown; Z = deep red-brown.*Orientation:* $Y \wedge a \simeq 5^\circ$ on (001); $Y \wedge a = 15^\circ$ on (010). *Dispersion:* $r > v$. $\alpha = 1.960(5)$ $\beta = 1.995(5)$ $\gamma = 2.020(5)$ $2V(\text{meas.}) = 75(5)^\circ$ **Cell Data:** *Space Group:* $P\bar{1}$. $a = 5.583\text{--}5.622$ $b = 9.542\text{--}9.593$ $c = 10.219\text{--}10.279$ $\alpha = 109.80^\circ\text{--}109.81^\circ$ $\beta = 90.54^\circ\text{--}90.57^\circ$ $\gamma = 97.69^\circ\text{--}97.71^\circ$ $Z = 1$ **X-ray Powder Pattern:** Tsumeb, Namibia.

3.40 (10), 3.04 (9), 9.67 (8), 4.70 (8), 3.26 (8), 2.92 (6), 2.04 (6)

Chemistry:

	(1)	(2)
SO ₃	trace	
As ₂ O ₅	36.2	27.94
Al ₂ O ₃		0.09
Fe ₂ O ₃	25.5	23.30
Ga ₂ O ₃		0.27
MnO	trace	
CuO	trace	0.21
ZnO	11.1	10.39
PbO	27.1	27.40
H ₂ O	n.d.	[5.06]
Total	99.9	[94.66]

(1) Tsumeb, Namibia; by electron microprobe, total Fe as Fe₂O₃, (OH)¹⁻ assumed for charge balance; corresponding to Pb_{1.92}Zn_{2.15}Fe_{5.06}³⁺(AsO₄)_{4.00}(OH)_{11.32}. (2) Do.; by electron microprobe, average of two analyses, total Fe as Fe₂O₃, H₂O calculated by crystal-structure analysis; corresponds to Pb_{2.01}Zn_{1.00}Fe_{2.00}³⁺(Fe_{2.78}³⁺Zn_{1.09}Ga_{0.05}Cu_{0.04}Al_{0.03})_{Σ=3.99}(AsO₄)_{3.99}[(OH)_{9.20}O_{0.80}]_{Σ=10.00}.

Occurrence: A secondary mineral in oxidized lead ore in a dolostone-hosted hydrothermal polymetallic ore deposit.**Association:** Duftite, tsumcorite, goethite.**Distribution:** From Tsumeb, Namibia.**Name:** Honors Christopher James, one of the first mining engineers at the Tsumeb mine, Namibia.**Type Material:** Institute for Mineralogy and Crystal Chemistry, University of Stuttgart, Stuttgart, Germany, NM05; National Museum of Natural History, Washington, D.C., USA, 143995.**References:** (1) Keller, P., H. Hess, and P.J. Dunn (1981) Jamesit, Pb₂Zn₂Fe₅³⁺O₄(AsO₄)₅, ein neues Mineral von Tsumeb, Namibia. Chem. Erde, 40, 105–109 (in German with English abs.). (2) (1981) Amer. Mineral., 66, 1275 (abs. ref. 1). (3) Cooper, M.A. and F.C. Hawthorne (1999) Local Pb²⁺–□ disorder in the crystal structure of jamesite, Pb₂ZnFe₂³⁺(Fe_{2.8}³⁺Zn_{1.2}) (AsO₄)₄(OH)₈[(OH)_{1.2}O_{0.8}], and revision of the chemical formula. Can. Mineral., 37, 53–60.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of Mineral Data Publishing.