

# Zunyite

# $\text{Al}_{13}\text{Si}_5\text{O}_{20}\text{Cl}(\text{OH}, \text{F})_{18}$

©2001 Mineral Data Publishing, version 1.2

**Crystal Data:** Cubic. *Point Group:*  $\bar{4}3m$ . As excellent tetrahedral or pseudo-octahedral crystals, may be modified by the cube, up to 2 cm. *Twinning:* On {111}, contact and penetration.

**Physical Properties:** *Cleavage:* Good on {111}. *Tenacity:* Brittle. *Hardness* = 7  
D(meas.) = 2.874(5) D(calc.) = 2.87–2.90 May fluoresce red under UV.

**Optical Properties:** Transparent; may be more or less opaque from inclusions. *Color:* Grayish white, flesh-red; colorless in thin section. *Luster:* Vitreous.  
*Optical Class:* Isotropic.  $n = 1.592\text{--}1.600$

**Cell Data:** *Space Group:*  $F\bar{4}3m$ .  $a = 13.8654\text{--}13.8882$   $Z = 4$

**X-ray Powder Pattern:** Beni-Embarek, Algeria.

8.07 (100), 4.21 (100), 2.679 (90), 1.639 (90), 4.02 (60), 2.840 (50), 2.008 (50)

## Chemistry:

	(1)
$\text{SiO}_2$	24.33
$\text{Al}_2\text{O}_3$	57.88
$\text{Fe}_2\text{O}_3$	0.20
$\text{Li}_2\text{O}$	trace
$\text{Na}_2\text{O}$	0.24
$\text{K}_2\text{O}$	0.10
F	5.61
Cl	2.91
$\text{H}_2\text{O}$	10.89
$\text{P}_2\text{O}_5$	0.60
$-\text{O} = (\text{F}, \text{Cl})_2$	3.02
Total	99.74

(1) Zuñi mine, Colorado, USA; corresponds to  $\text{Al}_{13.21}\text{Fe}_{0.03}^{3+}\text{P}_{0.10}\text{Si}_{4.66}\text{O}_{20}\text{Cl}_{0.96}[(\text{OH})_{14.04}\text{F}_{3.44}]_{\Sigma=17.48}$ .

**Occurrence:** In highly aluminous shales and hydrothermally altered volcanic rocks.

**Association:** Pyrophyllite, kaolinite, alunite, diaspore, rutile, pyrite, hematite, quartz.

**Distribution:** In the USA, in the Zuñi mine, near Silverton, San Juan Co., and in the Charter Oak mine, Ouray Co., Colorado; near Silver City, Tintic district, Juab Co., Utah; in the Dome Rock Mountains, near Quartzsite, La Paz Co., Arizona, large crystals. At Postmasburg, Cape Province, South Africa. From Balikesir, Balikesir Province, Turkey. At Beni Embarek, Algeria. From Ait Azegour, High Atlas Mountains, Morocco. At Banská Belá, Banská Štiavnica district, Slovakia. In the Embleton quarry, near Cockermouth, Cumbria, England. From Aksakat, Uzbekistan. At Kochi, Iwate Prefecture; Iriyama, Gumma Prefecture; and several mines in Nagano Prefecture, Japan. Several other localities are known.

**Name:** For the Zuñi mine, Colorado, USA, where it was discovered.

**Type Material:** National Museum of Natural History, Washington, D.C., USA, 49082.

**References:** (1) Dana, E.S. (1892) Dana's system of mineralogy, (6th edition), 436.  
(2) Vermaas, F.H.S. (1952) Zunyite from Postmasburg, South Africa. *Amer. Mineral.*, 37, 960–965. (3) Turco, G. (1962) La zunyite: recherches expérimentales physico-chimiques en liaison avec l'étude du nouveau gisement de Beni-Embarek. *Bull. Soc. fr. Minéral.*, 85, 407–458 (in French). (4) Baur, W.H. and T. Ohta (1982) The  $\text{Si}_5\text{O}_{16}$  pentamer in zunyite refined and empirical relations for individual silicon–oxygen bonds. *Acta Cryst.*, 38, 390–401.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of Mineral Data Publishing.